

FTP: The Forgotten Cloud

Drew Springall, Zakir Durumeric, and J. Alex Halderman
University of Michigan

FTP – File Transfer Protocol


- ◆ Simple text-based protocol
- ◆ View and traverse directory structure
- ◆ Upload and download files

FTP Implementations

Terminal Client

```
501>ftp 54.84.15.19
Connected to 54.84.15.19.
220----- Welcome to Pure-FTPd [privsep] [TLS] -----
220-You are user number 1 of 50 allowed.
220-Local time is now 11:00. Server port: 21.
220-IPv6 connections are also welcome on this server.
220 You will be disconnected after 15 minutes of inactivity.
Name (54.84.15.19:user): anonymous
230 Anonymous user logged in
Remote system type is UNIX.
Using binary mode to transfer files.
cdftp> cd www
250 OK. Current directory is /www
ftp> ls
229 Extended Passive mode OK (|||39818|)
150 Accepted data connection
-rw-r--r--  1 1001    1002    3553626 Jun 27 07:00 IMG001.exe
-rw-r--r--  1 1001    1002    1578496 Feb 12 10:08 Photo.scr
-rwxrwxrwx  1 1001    1002         106 Jul 19  2015 index.php
-rw-r--r--  1 1001    1002    1040384 Jan 17 13:12 info.zip
226-Options: -l
226 4 matches total
ftp> █
```

GUI Client



FTP is Old

1970

2016

1971: FTP

1972: C Programming Language

1978: x86 chip (8086)


1983: Apple IIe

1990: World Wide Web

1995: Windows 95

1998: Google

FTP Replacements



It's Still Here

- ◆ 13.8M FTP Servers
- ◆ 1.1M publically-accessible FTP servers
- ◆ 600M visible files/directories

Questions

- ◆ What is the state of FTP in 2015?
- ◆ Is sensitive data being shared on FTP?
- ◆ Is FTP being used by malicious actors?
- ◆ What vulnerabilities still exist in FTP?

◆ FTP Protocol

- ◆ Methodology
- ◆ What is the state of FTP in 2015?
- ◆ Is sensitive data being shared on FTP?
- ◆ Is FTP being used by malicious actors?
- ◆ What vulnerabilities still exist in FTP?
- ◆ Conclusions


FTP Commands

- ◆ USER – Send username
- ◆ PASS – Send password
- ◆ CWD – Change Working Directory
- ◆ PWD – Present Working Directory
- ◆ PORT/PASV – Create secondary TCP connection
- ◆ LIST – Display directory contents
- ◆ RETR – Retrieve file


FTP Replies

- ◆ 3-digit response codes + optional text message
- ◆ 200 – OK
- ◆ 331 – User OK, send password
- ◆ 5XX -- Error

Authentication



Anonymous Authentication



◆ FTP Protocol

◆ **Methodology**

◆ What is the state of FTP in 2015?

◆ Is sensitive data being shared on FTP?


◆ Is FTP being used by malicious actors?

◆ What vulnerabilities still exist in FTP?

◆ Conclusions

Scanning & Enumeration

- ◆ ZMap Tool chain
- ◆ Custom protocol scanner
 - ◆ Available at github.com/aaspring/ftp-enumerator



The screenshot shows the GitHub interface for the repository 'aaspring / ftp-enumerator'. At the top, there is a search bar and navigation links for 'Pull requests', 'Issues', and 'Gist'. The repository name is displayed in blue, followed by interaction buttons: 'Unwatch' (1), 'Star' (1), and 'Fork' (0). Below this, there are tabs for 'Code', 'Issues' (0), 'Pull requests' (0), 'Wiki', 'Pulse', 'Graphs', and 'Settings'. A message states 'No description or website provided. — Edit'. At the bottom, a summary bar shows '3 commits', '1 branch', '0 releases', and '1 contributor'.

Data Collection

- ◆ Parse banner
- ◆ Login via the anonymous user
- ◆ Parse robots.txt
- ◆ Traverse the directory structure
- ◆ Collect Features, Help, Status
- ◆ Collect FTPS certificate if available

Ethical Considerations

- ◆ Scanning best practices
- ◆ Limited number and frequency of commands to each server
- ◆ Not trying to guess usernames/passwords
- ◆ Not downloading files en masse

- ◆ FTP Protocol

- ◆ Methodology

- ◆ **What is the state of the FTP in 2015?**

- ◆ Is sensitive data being shared on FTP?

- ◆ Is FTP being used by malicious actors?

- ◆ What vulnerabilities still exist in FTP?

- ◆ Conclusions

How prevalent is FTP?

IPs scanned	3,684,755,175	(85.79% of IPv4 address space)
Open port 21	21,832,903	(0.59% of scanned IPs)
FTP servers	13,789,641	(63.16% of IPs with port open)
Anonymous FTP servers	1,123,326	(8.15% of responsive FTP servers)

Who has the most anonymous?

AS	IPs advertised	FTP servers	Anonymous FTP servers
AS12824 home.pl S.A.	205,312	136,765 (66.61%)	103,175 (75.44%)
AS46606 Unified Layer	516,864	246,470 (47.69%)	44,273 (17.96%)
AS2914 NTT America, Inc.	7,880,192	298,468 (3.79%)	36,045 (12.08%)
AS20013 CyrusOne LLC	111,360	64,790 (58.18%)	30,772 (47.50%)
AS40676 Psychz Networks	641,024	64,233 (10.02%)	27,507 (42.82%)
AS34011 domainfactory GmbH	93,440	21,153 (22.64%)	19,077 (90.19%)
AS4134 Chinanet	120,757,504	464,384 (0.39%)	18,996 (4.09%)
AS18978 Enzu Inc	727,808	73,541 (10.11%)	17,510 (23.81%)
AS18779 EGIHosting	1,890,304	27,804 (1.43%)	16,329 (58.73%)
AS4766 Korea Telecom	53,733,632	211,479 (0.39%)	16,222 (7.67%)

What kind of devices use FTP?

Server Classification	All FTP Servers	Anonymous FTP Servers
Generic Server	5,957,969 (43.21%)	704,276 (62.66%)
Hosted Server	1,795,596 (13.02%)	174,198 (15.50%)
Embedded Server	1,786,656 (12.95%)	93,484 (8.32%)
Unknown	4,249,417 (30.82%)	151,927 (13.52%)

What embedded devices use FTP?

Consumer-deployed

Device	# Found	# Anonymous
QNAP Turbo NAS	57,655	1,637 (2.84%)
ASUS wireless routers	52,938	5,891 (11.13%)
Synology NAS devices	43,159	2,942 (6.82%)
Buffalo NAS storage	22,558	8,870 (39.32%)
ZyXEL/MitraStar NAS	9,456	310 (3.28%)
RICOH Printers	8,696	7,606 (87.47%)
LaCie storage	4,558	2,919 (64.04%)
Lexmark Printers	3,908	3,896 (99.69%)
Xerox Printers	3,130	2,906 (92.84%)
Dell Printers	2,555	2,515 (98.43%)
Linksys Wifi Routers	2,174	624 (28.72%)
Lutron HomeWorks Processor	1,006	1,003 (99.70%)
Seagate Storage devices	629	594 (94.44%)

Provider-deployed

Device	# Found	# Anonymous
FRITZ!Box DSL modem	152,520	49 (0.03%)
ZyXEL DSL Modem	29,376	1 (0.00%)
AXIS Physical Security Device	20,002	58 (0.29%)
ZTE WiMax Router	14,245	0 (0.00%)
Speedport DSL Modem	13,677	0 (0.00%)
Dreambox Set-top Box	12,298	0 (0.00%)
ZyXEL Unified Security Gateway	11,964	0 (0.00%)
Alcatel Router	10,383	0 (0.00%)
DrayTek Network Devices	4,161	0 (0.00%)

- ◆ FTP Protocol
- ◆ Methodology
- ◆ What is the state of FTP in 2015?
- ◆ **Is sensitive data being shared on FTP?**
- ◆ Is FTP being used by malicious actors?
- ◆ What vulnerabilities still exist in FTP?
- ◆ Conclusions

Obvious Examples

-SSL_certificate_backup/

|

|- SSL_certificate.pem

|- SSL_priv_key.pem

|- password.txt

Non-Obvious Examples

Ambiguous

-backup/

|

| - June-Dec.der

| - key4.txt

Non-English

-備份工作/

|

| -公證書.cer

| -私鑰.pem

Difficulties

- ◆ Personalized naming
- ◆ Mix of languages
- ◆ What to look for
- ◆ How to measure

What data is being exposed?

Type	File	# Servers	# Files	# Readable	# Non-readable	# Unk-readable
Financial Information	TurboTax Export	464	8,190	8,139	6	45
	Quicken Data	440	7,702	7,652	6	241
Password Databases	KeePass/KeePassX	210	1,812	1,762	6	44
	1Password	11	24	23	0	1
Key Material	SSH host private keys	819	1,597	139	1,427	31
	Putty SSH client keys	82	128	98	0	30
	“priv” .pem files	701	1,397	1,335	2	60
Other	shadow files	590	718	238	473	7
	.pst files	2,419	12,636	10,918	103	1,615

Irresponsible Devices

Wireless Routers



NAS Systems



Responsible Devices

Chapter

10

Access Files from Anywhere

When you have set up users or groups with proper access privileges to the shared folders, they can share their files with your Synology NAS from anywhere.

This chapter explains the ways to access the Synology NAS shared folders within the local network or over the Internet. For more detailed instructions, please see [DSM Help](#).

- ◆ FTP Protocol
- ◆ Methodology
- ◆ What is the state of FTP in 2015?
- ◆ Is sensitive data being shared on FTP?
- ◆ **Is FTP being used by malicious actors?**
- ◆ What vulnerabilities still exist in FTP?
- ◆ Conclusions

World-Writable FTP

- ◆ Anonymous user can upload file
- ◆ Indicated by presence of a known file
 - ◆ w0000000t.[txt/php], sjutd.txt, hello.world.txt
- ◆ 19.4K world-writable server (lower bound)

Server-side Scripting

- ◆ 9M IPs have both FTP and HTTP server
 - ◆ 2.1M explicitly indicate PHP/ASP.NET engine
- ◆ Remote Access Tools
 - ◆ 724 servers
- ◆ UDP DDoS infrastructure
 - ◆ 1,792 servers
- ◆ ftpchk3 multi-stage campaign
 - ◆ 1,264 servers

Other Assorted Campaigns


- ◆ ``really cool software cracking`` advertisement
 - ◆ 2,095 servers
- ◆ Candy-dropping malware
- ◆ WaReZ
 - ◆ [year][month][day][time]p/
 - ◆ 4,868 servers

- ◆ FTP Protocol
- ◆ Methodology
- ◆ What is the state of FTP in 2015?
- ◆ Is sensitive data being shared on FTP?
- ◆ Is FTP being used by malicious actors?
- ◆ **What vulnerabilities still exist in FTP?**
- ◆ Conclusions


CVEs

Implementation	Vulnerability	CVSS Score	Number IPs
ProFTPD	CVE-2015-3306	10.0	300,931
	CVE-2013-4359	5.0	24,420
	CVE-2012-6095	1.2	1,098,629
	CVE-2011-4130	9.0	646,072
	CVE-2011-1137	5.0	646,072
Pure-FTPD	CVE-2011-1575	5.8	3,305
	CVE-2011-0418	4.0	3,309
vsFTPD	CVE-2015-1419	5.0	658,767
	CVE-2011-0762	4.0	125,090
Serv-U	CVE-2011-4800	9.0	244,060

PORT Bounce



PORT Bounce



PORT Bounce

- ◆ 143K servers vulnerable
 - ◆ Including inside NAT/Firewall



Software Engineering Institute

Carnegie Mellon University

What are you looking for?



Work Areas ▾

Engage with Us

Training ▾

About Us ▾

News

Careers

Information for ▾

Home > Historical > Advisories > CA-1997-27

Share

Email

Print

FTP Bounce

Original issue date: December 10, 1997

Last revised: July 26, 2002

Updated links, wu-ftpd, SGI, and HP information

A complete revision history is at the end of this file.

- ◆ FTP Protocol
- ◆ Methodology
- ◆ What is the state of FTP in 2015?
- ◆ Is sensitive data being shared on FTP?
- ◆ Is FTP being used by malicious actors?
- ◆ What vulnerabilities still exist in FTP?
- ◆ **Conclusions**

Conclusions

- ◆ Documentation and interfaces for consumer products need re-evaluation
- ◆ Malicious actors are aware of and actively exploiting FTP access
- ◆ FTP is still around, still exposes information, and still puts users at risk

FTP: The Forgotten Cloud


Drew Springall, Zakir Durumeric, and J. Alex Halderman
University of Michigan

STOP


STOP

Data Transfer


Active



Passive



PORT Bounce



Responsible Devices

Type of Exposure	Generic	Embedded			Hosting	Unk
		NAS	Router	Other		
Sensitive Documents	26.29%	7.08%	20.16%	0.18%	0.12%	45.54%
Photo Libraries	39.98%	12.35%	11.52%	0.01%	3.12%	33.00%
Root File Systems	10.54%	0.68%	1.30%	0.00%	0.00%	87.34%
Scripting Source	72.51%	1.74%	3.26%	2.36%	3.48%	16.56%
All	56.05%	4.54%	6.31%	1.45%	3.00%	28.67%

Non-Academic Enumeration



Searching **939,130,583** files (**7019.32 TB**) in **15,270** FTP servers

Updated: **6/25/2016**

NAPALM FTP Indexer lets you search and download files located on public FTP servers.

The most advanced FTP Search Engine service maintained by members.

👉 >>> Donate Bitcoin **16Aq1pA9MkPsaDDQzeZ4YLznNcJ5Kz8NMD** <<< 👈

[About](#) | [Faq](#) | [Contact Us](#) | [Terms of Use](#) | [Privacy Policy](#)

Copyright © 2002-2016 NAPALM Indexer


FTPS

- ◆ STARTTLS-like encapsulation
- ◆ AUTH SSL or AUTH TLS command
- ◆ Control channel and Data channel

Classifying AS

AS Type	All FTP (78)	Anonymous FTP (42)
Hosting	50	29
ISP	25	11
Academic	3	2

AS Distribution



STOP #2

Seriously though...

STOP